



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/706,283	11/13/2003	Harunori Tashiro	Q78480	5642
23373	7590	12/10/2004	EXAMINER	
SUGHRUE MION, PLLC 2100 PENNSYLVANIA AVENUE, N.W. SUITE 800 WASHINGTON, DC 20037			LUEBKE, RENEE S	
			ART UNIT	PAPER NUMBER
			2833	

DATE MAILED: 12/10/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/706,283	Applicant(s) TASHIRO & FUKUDA	
	Examiner Renee S. Luebke	Art Unit 2833	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☒ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-4 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☐ Claim(s) ____ is/are rejected.
- 7) ☒ Claim(s) 1-4 is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 06 August 2004 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____. |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>11/03 & 8/04</u> . | 6) <input type="checkbox"/> Other: ____. |

Art Unit: 2833

1. The drawings are objected to because Fig. 9 should be labeled -Prior Art-. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application.

Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

2. The disclosure is objected to because of the following informalities:

- The abstract should be in narrative form and generally limited to a single paragraph within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited.

- The "Summary of the Invention" (pages 3-6) should be a Brief Description of the Invention, and should not repeat the claims.

- The specification is replete with typographic and grammatical errors. Applicant is kindly requested to proofread all submissions. Appropriate corrections are required.

3. Claims 1-4 are objected to because of the following informalities:

- a. On line 9 of claim 1, it appears that "with" should be -from-.
- b. Claim 1 lacks antecedent basis for "the sheathed conductors arranged in parallel" on lines 5-6.

Art Unit: 2833

c. The meaning of "drew out" on line 18 of claim 1 (and throughout the application) is unclear.

d. Contrary to the last section of claim 1, the superposed parts are not wound. It is another member that is wound around the superposed parts.

e. On line 2 of claim 2, it appears that "press" should be -presses-.

f. The spelling of *cover* should be corrected in claim 3.

g. On line 11 of claim 4, it appears that "with" should be -from-.

h. Contrary to lines 18 and 21 of claim 4, there is no "drawing out" involved in the present method. The generally accepted definition of "draw out" involves pulling a member through an aperture. There is no pulling performed here.

i. Lines 18-23 of claim 4 are unclear.

Appropriate corrections are required.

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The connector of Valach comprises potting compound that surrounds superposed flat cable portions and protects the cut end. The flat cables of Oshva, Herlinger, et al. and Nagai, et al. are superposed and secured.

5. Claims 1-4 would be allowable if rewritten or amended to overcome the objections set forth in this Office action.

6. This application is in condition for allowance except for the formal matters discussed above.

Prosecution on the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

Art Unit: 2833

7. Any response to this action may be mailed to:
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

or faxed to:
(703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

8. Any inquiry concerning this communication from the examiner should be directed to Mrs. Renee Luebke whose telephone number is (571) 272-2009.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mrs. Paula Bradley, can be reached at (571) 272-2800, extension 33.



Renee S. Luebke
Primary Patent Examiner
December 7, 2004